Contents to volume 271

Hypotheses

Analysis of β-tubulin sequences reveals highly conserved, coordinated amino acid substitutions: Evidence that these 'hot spots' are directly involved in the conformational change required for dynamic instability (FEBS 08923) *R.G. Burns, C. Surridge* 1

Could domain movements be involved in the mechanism of trypsin-like serine proteases? (FEBS 08889) *M.J. Dufton* 9

Research Letters

Carbohydrate structures of a human tissue plasminogen activator variant expressed in recombinant Chinese hamster ovary cells (FEBS 08880) *M. Nimtz, G. Noll, E.-P. Pâques, H.S. Conradt* 14

Novel GTP-binding proteins in plasma membranes and zymogen granule membranes from rat pancreas and in pancreatic AR 4-2J cell membranes (FEBS 08882) *M. Lambert, N.-D. Bui, J. Christophe* 19

Newly identified type of β actin reduces invasiveness of mouse B16-melanoma (FEBS 08883) *H. Sadano, S. Taniguchi, T. Baba* 23

Characterization of the *virA* gene of the agropine-type plasmid pRiA4 of *Agrobacterium rhizogenes* (FEBS 08884) *H. Endoh, T. Hirayama, T. Aoyama, A. Oka* 28

IAPP/amylin gene transcriptional control region: evidence for negative regulation (FEBS 08885) *S. Mosselman, J.W.M. Höppener, L. de Wit, W. Soeller, C.J.M. Lips, H.S. Jansz* 33

Effects of D600 on hypoxic suppresssion of K currents in isolated type I carotid body cells of the neonatal rat (FEBS 08886) *C. Peers* 37

Possible mechanism of nuclear translocation of proteasomes (FEBS 08887) *K. Tanaka, T. Yoshimura, T. Tamura, T. Fujiwara, A. Kumatori, A. Ichihara* 41

Human epidermal growth factor: Distinct roles of tyrosine 37 and arginine 41 in receptor binding as determined by site-directed mutagenesis and nuclear magnetic resonance spectroscopy (FEBS 08888) *D.A. Engler, G.T. Montelione, S.K. Niyogi* 47

The primary structure of rat ribosomal protein S7 (FEBS 08890) *K. Suzuki, J. Olvera, I.G. Wool* 51

Multiple mechanisms of protein kinase C inhibition by triphenylacrylonitrile antiestrogens (FEBS 08891) *E. Bignon, M. Pons, J. Gilbert, Y. Nishizuka* 54

Transcriptional and post-transcriptional suppression of P450IIC11 and P450IIC12 by inflammation (FEBS 08892) *K. Wright, E.T. Morgan* 59

GTP-induced fusion of isolated pancreatic microsomal vesicles is increased by acidification of the vesicle lumen (FEBS 08893) *W. Hampe, P. Zimmermann, I. Schulz* 62

Purification and characterization of a tartrate-sensitive acid phosphatase of *Trypanosoma brucei* (FEBS 08862) *D. Schell, Y.-D. Stierhof, P. Overath* 67

Multiple ubiquitination of calmodulin results in one polyubiquitin chain linked to calmodulin (FEBS 08894) *R. Ziegenhagen, M. Goldberg, W. -D. Rakutt, H.P. Jennissen* 71

A low-molecular weight acid phosphatase present in crystalline preparations of rabbit skeletal muscle glycogen phosphorylase *b* (FEBS 08895) *T.G. Sotiroudis, T.P. Geladopoulos* 76

On the role of insulin in regulation of adenosine deaminase activity in rat tissues (FEBS 08896) *J. Rutkiewicz, J. Górski* 79

Molecular cloning of a novel G protein-coupled receptor that may belong to the neuropeptide receptor family (FEBS 08897) *C. Eva, K. Keinänen, H. Monyer, P. Seeburg, R. Sprengel* 81

Synthetic sialyl glycolipids (sialo-cholesterol and sialo-diglyceride) induce granulocytic differentiation of human myelogenous leukemia cell line HL-60 (FEBS 08898) *M. Saito, H. Nojiri, H. Ogino, A. Yuo, H. Ogura, M. Itoh, K. Tomita, T. Ogawa, Y. Nagai, S. Kitagawa* 85

Hydrodynamic data show that $C\bar{1}$ inhibitor of complement forms compact complexes with $C\bar{1}r$ and $C\bar{1}s$ (FEBS 08899) *S.J. Perkins* 89

The N intermediate of bacteriorhodopsin at low temperatures:: Stabilization and photoconversion (FEBS 08903) *S.P. Balashov, E.S. Imasheva, F.F. Litvin, R.H. Lozier* 93

Some features of the *Streptococcus faecalis* Na^+-ATPase resemble those of the vacuolar-type ATPases (FEBS 08905) *Y. Kakinuma, K. Igarashi* 97

Release of the component of *Streptococcus faecalis* Na^+-ATPase from the membranes (FEBS 08906) *Y. Kakinuma, K. Igarashi* 102

Cloning and nucleotide sequence of cDNA for retinochrome, retinal photoisomerase from the squid retina (FEBS 08907) *I. Hara-Nishimura, T. Matsumoto, H. Mori, M. Nishimura, R. Hara, T. Hara* 106

Electron microscopy of the reconstituted complexes of the F_1-ATPase with various subunit constitution revealed the location of the γ subunit in the central cavity of the molecule (FEBS 08904) *Y. Fujiyama, K. Yokoyama, M. Yoshida, T. Wakabayashi* 111

Uni-site ATP synthesis in thylakoids (FEBS 08908) *A. Labahn, P. Fromme, P. Gräber* 116

Evidence for communication between nerve growth factor and protein tyrosine phosphorylation (FEBS 08790) *N. Gómez, N.K. Tonks, C. Morrison, T. Harmar, P. Cohen* 119

Measurement of the redox state of the ubiquinone pool in *Rhodobacter capsulatus* membrane fragments (FEBS 08909) *D. Zannoni, A.L. Moore* 123

Low temperature cultivation of *Escherichia coli* carrying a rice lipoxygenase L-2 cDNA produces a soluble and active enzyme at a high level (FEBS 08910) *Y. Shirano, D. Shibata* 128

Importance of the α_3-fragment of complement C4 for the binding with C4b-binding protein (FEBS 08911) *M. Hessing, C. van 't Veer, T.M. Hackeng, B.N. Bouma, S. Iwanaga* 131

Sequence of a novel carbonic anhydrase-related polypeptide and its exclusive presence in Purkinje cells (FEBS 08913) *K. Kato* 137

Bacterial ferritin contains 24 haem groups (FEBS 08912) *F.H.A. Kadir, G.R. Moore* 141

Analysis of the stop codon context in plant nuclear genes (FEBS 08914) *G. Angenon, M. Van Montagu, A. Depicker* 144

Modification methylase M.*Sau*3239I from *Streptomyces aureofaciens* 3239 (FEBS 08915) *E. Zelinková, M. Pauliček, J. Zelinka* 147

Characterization of Na^+-independent Mg^{2+} efflux from erythrocytes (FEBS 08916) *T. Günther, J. Vormann* 149

Packing forces in ribonuclease crystals (FEBS 08920) *M.-P. Crosio, F. Rodier, M. Jullien* 152

Nonthermal 60 Hz sinusoidal magnetic-field exposure enhances $^{45}Ca^{2+}$ uptake in rat thymocytes: dependence on mitogen activation (FEBS 08917) *J. Walleczek, R.P. Liburdy* 157

Detection of a large cation-selective channel in nuclear envelopes of avian erythrocytes (FEBS 08901) *A.J.M. Matzke, T.M. Weiger, M.A. Matzke* 161

Membrane lateral pressure as a modulator of glycerol-3-phosphate dehydrogenase activity (FEBS 08902) *E. Amler, R. Jasińska, Z. Drahota, J. Zborowski* 165

Primary structure and functional expression from cDNA of the cardiac ryanodine receptor/calcium release channel (FEBS 08921) *J. Nakai, T. Imagawa, Y. Hakamata, M. Shigekawa, H. Takeshima, S. Numa* 169

Published by Elsevier Science Publishers B.V. (Biomedical Division)

00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

Contents to volume 271

Hypotheses

Analysis of β-tubulin sequences reveals highly conserved, coordinated amino acid substitutions: Evidence that these 'hot spots' are directly involved in the conformational change required for dynamic instability (FEBS 08923) *R.G. Burns, C. Surridge* 1

Could domain movements be involved in the mechanism of trypsin-like serine proteases? (FEBS 08889) *M.J. Dufton* 9

Research Letters

Carbohydrate structures of a human tissue plasminogen activator variant expressed in recombinant Chinese hamster ovary cells (FEBS 08880) *M. Nimtz, G. Noll, E.-P. Pâques, H.S. Conradt* 14

Novel GTP-binding proteins in plasma membranes and zymogen granule membranes from rat pancreas and in pancreatic AR 4-2J cell membranes (FEBS 08882) *M. Lambert, N.-D. Bui, J. Christophe* 19

Newly identified type of β actin reduces invasiveness of mouse B16-melanoma (FEBS 08883) *H. Sadano, S. Taniguchi, T. Baba* 23

Characterization of the *virA* gene of the agropine-type plasmid pRiA4 of *Agrobacterium rhizogenes* (FEBS 08884) *H. Endoh, T. Hirayama, T. Aoyama, A. Oka* 28

IAPP/amylin gene transcriptional control region: evidence for negative regulation (FEBS 08885) *S. Mosselman, J.W.M. Höppener, L. de Wit, W. Soeller, C.J.M. Lips, H.S. Jansz* 33

Effects of D600 on hypoxic suppresssion of K currents in isolated type I carotid body cells of the neonatal rat (FEBS 08886) *C. Peers* 37

Possible mechanism of nuclear translocation of proteasomes (FEBS 08887) *K. Tanaka, T. Yoshimura, T. Tamura, T. Fujiwara, A. Kumatori, A. Ichihara* 41

Human epidermal growth factor: Distinct roles of tyrosine 37 and arginine 41 in receptor binding as determined by site-directed mutagenesis and nuclear magnetic resonance spectroscopy (FEBS 08888) *D.A. Engler, G.T. Montelione, S.K. Niyogi* 47

The primary structure of rat ribosomal protein S7 (FEBS 08890) *K. Suzuki, J. Olvera, I.G. Wool* 51

Multiple mechanisms of protein kinase C inhibition by triphenylacrylonitrile antiestrogens (FEBS 08891) *E. Bignon, M. Pons, J. Gilbert, Y. Nishizuka* 54

Transcriptional and post-transcriptional suppression of P450IIC11 and P450IIC12 by inflammation (FEBS 08892) *K. Wright, E.T. Morgan* 59

GTP-induced fusion of isolated pancreatic microsomal vesicles is increased by acidification of the vesicle lumen (FEBS 08893) *W. Hampe, P. Zimmermann, I. Schulz* 62

Purification and characterization of a tartrate-sensitive acid phosphatase of *Trypanosoma brucei* (FEBS 08862) *D. Schell, Y.-D. Stierhof, P. Overath* 67

Multiple ubiquitination of calmodulin results in one polyubiquitin chain linked to calmodulin (FEBS 08894) *R. Ziegenhagen, M. Goldberg, W. -D. Rakutt, H.P. Jennissen* 71

A low-molecular weight acid phosphatase present in crystalline preparations of rabbit skeletal muscle glycogen phosphorylase *b* (FEBS 08895) *T.G. Sotiroudis, T.P. Geladopoulos* 76

On the role of insulin in regulation of adenosine deaminase activity in rat tissues (FEBS 08896) *J. Rutkiewicz, J. Górski* 79

Molecular cloning of a novel G protein-coupled receptor that may belong to the neuropeptide receptor family (FEBS 08897) *C. Eva, K. Keinänen, H. Monyer, P. Seeburg, R. Sprengel* 81

Synthetic sialyl glycolipids (sialo-cholesterol and sialo-diglyceride) induce granulocytic differentiation of human myelogenous leukemia cell line HL-60 (FEBS 08898) *M. Saito, H. Nojiri, H. Ogino, A. Yuo, H. Ogura, M. Itoh, K. Tomita, T. Ogawa, Y. Nagai, S. Kitagawa* 85

Hydrodynamic data show that $C\bar{1}$ inhibitor of complement forms compact complexes with $C\bar{1}r$ and $C\bar{1}s$ (FEBS 08899) *S.J. Perkins* 89

The N intermediate of bacteriorhodopsin at low temperatures:: Stabilization and photoconversion (FEBS 08903) *S.P. Balashov, E.S. Imasheva, F.F. Litvin, R.H. Lozier* 93

Some features of the *Streptococcus faecalis* Na^+-ATPase resemble those of the vacuolar-type ATPases (FEBS 08905) *Y. Kakinuma, K. Igarashi* 97

Release of the component of *Streptococcus faecalis* Na^+-ATPase from the membranes (FEBS 08906) *Y. Kakinuma, K. Igarashi* 102

Cloning and nucleotide sequence of cDNA for retinochrome, retinal photoisomerase from the squid retina (FEBS 08907) *I. Hara-Nishimura, T. Matsumoto, H. Mori, M. Nishimura, R. Hara, T. Hara* 106

Electron microscopy of the reconstituted complexes of the F_1-ATPase with various subunit constitution revealed the location of the γ subunit in the central cavity of the molecule (FEBS 08904) *Y. Fujiyama, K. Yokoyama, M. Yoshida, T. Wakabayashi* 111

Uni-site ATP synthesis in thylakoids (FEBS 08908) *A. Labahn, P. Fromme, P. Gräber* 116

Evidence for communication between nerve growth factor and protein tyrosine phosphorylation (FEBS 08790) *N. Gómez, N.K. Tonks, C. Morrison, T. Harmar, P. Cohen* 119

Measurement of the redox state of the ubiquinone pool in *Rhodobacter capsulatus* membrane fragments (FEBS 08909) *D. Zannoni, A.L. Moore* 123

Low temperature cultivation of *Escherichia coli* carrying a rice lipoxygenase L-2 cDNA produces a soluble and active enzyme at a high level (FEBS 08910) *Y. Shirano, D. Shibata* 128

Importance of the α_3-fragment of complement C4 for the binding with C4b-binding protein (FEBS 08911) *M. Hessing, C. van 't Veer, T.M. Hackeng, B.N. Bouma, S. Iwanaga* 131

Sequence of a novel carbonic anhydrase-related polypeptide and its exclusive presence in Purkinje cells (FEBS 08913) *K. Kato* 137

Bacterial ferritin contains 24 haem groups (FEBS 08912) *F.H.A. Kadir, G.R. Moore* 141

Analysis of the stop codon context in plant nuclear genes (FEBS 08914) *G. Angenon, M. Van Montagu, A. Depicker* 144

Modification methylase M.*Sau*3239I from *Streptomyces aureofaciens* 3239 (FEBS 08915) *E. Zelinková, M. Pauliček, J. Zelinka* 147

Characterization of Na^+-independent Mg^{2+} efflux from erythrocytes (FEBS 08916) *T. Günther, J. Vormann* 149

Packing forces in ribonuclease crystals (FEBS 08920) *M.-P. Crosio, F. Rodier, M. Jullien* 152

Nonthermal 60 Hz sinusoidal magnetic-field exposure enhances $^{45}Ca^{2+}$ uptake in rat thymocytes: dependence on mitogen activation (FEBS 08917) *J. Walleczek, R.P. Liburdy* 157

Detection of a large cation-selective channel in nuclear envelopes of avian erythrocytes (FEBS 08901) *A.J.M. Matzke, T.M. Weiger, M.A. Matzke* 161

Membrane lateral pressure as a modulator of glycerol-3-phosphate dehydrogenase activity (FEBS 08902) *E. Amler, R. Jasińska, Z. Drahota, J. Zborowski* 165

Primary structure and functional expression from cDNA of the cardiac ryanodine receptor/calcium release channel (FEBS 08921) *J. Nakai, T. Imagawa, Y. Hakamata, M. Shigekawa, H. Takeshima, S. Numa* 169

Published by Elsevier Science Publishers B.V. (Biomedical Division)

00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

Novel putative protein tyrosine phosphatases identified by the poiymerase chain reaction (FEBS 08919) *M. Nishi, S. Ohagi, D.F. Steiner* 178

Protective role of $CaCl_2$ against Pb^{2+} inhibition in Photosystem II (FEBS 08918) *A. Rashid, R. Popovic* 181

Reaction of vanadium(V) with thiols generates vanadium(IV) and thiyl radicals (FEBS 08812) *X. Shi, X. Sun, N.S. Dalal* 185

The RNA component of RNase P in *Schizosaccharomyces* species (FEBS 08924) *S. Zimmerly, V. Gamulin, U. Burkard, D. Söll* 189

Modelling of poliovirus: HIV-1 antigen chimaeras (FEBS 08930) *M.J.C. Crabbe, D.J. Evans, J.W. Almond* 194

Rearrangement and overexpression of the gene coding for tumor antigen p53 in a rat histiocytoma AK-5 (FEBS 08925) *G. Deshpande, A. Leela Kumari, A. Khar* 199

Structural features of the McPC603 F_{ab} fragment not defined in the X-ray structure (FEBS 08926) *A. Skerra, R. Glockshuber, A. Plückthun* 203

Guanine nucleotide dependent and independent reconstitution of G-proteins with adenylate cyclase: stimulation or attenuation of the enzyme by Gi α subunits (FEBS 08927) *D.L. Newton, W.A. Klee* 207

CTP-dependent endogenous ADP-ribosylation of a 38 kDa protein in HL-60 cell membranes (FEBS 08928) *N. Morinaga, M. Noda, I. Kato* 211

Firefly luciferase synthesizes P^1,P^4-bis(5′-adenosyl)tetraphosphate (Ap_4A) and other dinucleoside polyphosphates (FEBS 08929) *A. Guranowski, M.A. Günther Sillero, A. Sillero* 215

Reaction mechamism of oxidative rearrangement of flavanone in isoflavone biosynthesis (FEBS 08931) *M.F. Hashim, T. Hakamatsuka, Y. Ebizuka, U. Sankawa* 219

High-affinity binding of a synthetic heptaglucoside and fungal glucan phytoalexin elicitors to soybean membranes (FEBS 08932) *E.G. Cosio, T. Frey, R. Verduyn, J. van Boom, J. Ebel* 223

Expression of subunit *III* ot the ATP synthase from spinach chloroplasts in *Escherichia coli* (FEBS 08933) *A. Burkovski, G. Deckers-Hebestreit, K. Altendorf* 227

$GABA_B$ receptors couple to G proteins G_o, $G_i$and G_{i1} but not to G_{i2} (FEBS 08937) *R. Morishita, K. Kato, T. Asano* 231

Prenyltransferase compartmentation in cells of *Vitis vinifera* cultivated in vitro (FEBS 08934) *G. Feron, M. Clastre, C. Ambid* 236

A stereospecific enzyme of the putative biosynthetic pathway of cardenolides: Characterization of a progesterone 5β-reductase from leaves of *Digitalis purpurea* L (FEBS 08935) *D.E. Gärtner, S. Wendroth, H.U. Seitz* 239

Function of the conserved triad residues in the class C β-lactamase from *Citrobacter freundii* GN346 (FEBS 08936) *K. Tsukamoto, N. Nishida, M. Tsuruoka, T. Sawai* 243

Book Reviews Book List no.97 247

Errata 257

Author Index to Vol.271 259

Contents to Vol.271 262

Notes to Authors 264